



COMMONWEALTH of VIRGINIA

DEPARTMENT OF ENVIRONMENTAL QUALITY

PIEDMONT REGIONAL OFFICE

4949A Cox Road, Glen Allen, Virginia 23060

(804) 527-5020 Fax (804) 527-5106

www.deq.virginia.gov

Douglas W. Domenech
Secretary of Natural Resources

David K. Paylor
Director

Michael P. Murphy
Regional Director

September 25, 2013

James Warf, Superintendent of Public Utilities
Greensville County Water & Sewer Authority
1781 Greensville County Circle
Emporia, Virginia 23847

Transmitted electronically to: jwarf@gcwsa.com; threecreek@telpage.net

RE: Reissuance of VPDES Permit No. VA0028916
Greensville – Skippers Wastewater Treatment Facility

Dear Mr. Warf:

Your VPDES permit is attached. As indicated in the fact sheet, the permit has changed; please read the permit carefully because you are responsible for meeting all permit conditions. A hard copy Discharge Monitoring Report (DMR) is not enclosed; however, an electronic DMR is available through e-DMR. Effluent monitoring to be reported on the DMR in accordance with this permit for the first monthly monitoring period, October 1 through October 31, 2013 is due November 10, 2013. If you still have DMR data to report as required by the previous permit please submit it as an attachment to the first DMR required by this permit. Monitoring results on the DMRs should be reported to the same significant digits as are included in the permit for each parameter. The annual compliance progress reports associated with the new Total Recoverable Zinc and Chlorides limitations (first reports due September 30th 2014) are to be submitted separately from DMRs and are not to be uploaded as attachments via e-DMR. If you still have DMR data to report as required by the previous permit please submit it as an attachment to the first DMR required by this permit. Monitoring results on the DMRs should be reported to the same significant digits as are included in the permit for each parameter.

As provided by Rule 2A:2 of the Supreme Court of Virginia, you have thirty days from the date of service (the date you actually received this decision or the date it was mailed to you, whichever occurred first) within which to appeal this decision by filing a notice of appeal in accordance with the Rules of the Supreme Court of Virginia with the Director, Virginia Department of Environmental Quality. In the event that this decision is served on you by mail, three days are added to that period.

Alternatively, any owner under §§ 62.1-44.16, 62.1-44.17, and 62.1-44.19 of the State Water Control Law aggrieved by any action of the State Water Control Board taken without a formal hearing, or by inaction of the Board, may demand in writing a formal hearing of such owner's grievance, provided a petition requesting such hearing is filed with the Board. Said petition must meet the requirements set forth in 9 VAC 25-230-130.B (Procedural Rule No. 1 – Petition for formal hearing). In cases involving actions of the Board, such petition must be filed within thirty days after notice of such action is mailed to such owner by certified mail.

If you have any questions about the permit, please contact Adam Eller at (804) 527-5000 or adam.eller@deq.virginia.gov.

Sincerely,



Emilee C. Adamson
VPDES Permit Manager

Enclosures: Permit No. VA0028916
cc: Mark Smith, EPA-Region III (3WP12): smith.mark@epa.gov
Elleanore Daub, DEQ- CO: Elleanore.Daub@deq.virginia.gov
Patrick Bishop, DEQ-PRO Compliance Auditor: Patrick.Bishop@deq.virginia.gov
Heather Diehls, DEQ-PRO Inspections: Heather.Deihls@deq.virginia.gov